

# RENTAL AGREEMENT WITH

make out check to beam

1 gal. cleaner 3.49  
 1 gal. V. Finish 4.95

Name Dean Hoggatt Job Address Church of Christ  
 Address La Grange Metal R# 9 No. 1  
La Grange Phone 463-2794  
 Social Security No., License, Driver's License 230-074-139-628

Equipment:	Out	In	Out	In
Steamer _____	<input type="checkbox"/>	<input type="checkbox"/>	Steam Hose _____	<input type="checkbox"/>
Weight Cap _____	<input checked="" type="checkbox"/>	<input type="checkbox"/>	L. Steam Pan _____	<input type="checkbox"/>
Polisher _____	<input checked="" type="checkbox"/>	<input type="checkbox"/>	S. Steam Pan _____	<input type="checkbox"/>
2 Brushes _____	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>
1 - Steel pad _____	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>

Checked Out By x 100 Checked In By x  
 Rates: Minimum \$ 2.00 Hourly Rate \$ \_\_\_\_\_ Daily Rate \$ \_\_\_\_\_

TAKEN OUT 8:00 ~~A.M.~~ P.M. To Be Returned \_\_\_\_\_ A.M. \_\_\_\_\_ P.M.

RETURNED Plus Steel pad - 100 A.M. \_\_\_\_\_ P.M. \_\_\_\_\_

Charges:	Rate	Time	
Rental	X		
Damage			
Delivery			
Total			
Less Deposit			
Amount Due			

\$ 100 paid  
 2-17-64  
 Royall

I/WE, the undersigned, do hereby rent and accept the above listed equipment and acknowledge that it is in good working condition and agree to pay a stipulated rental therefore, and agree to take care of all the said equipment and to use it in a proper manner and agree that in the event any of the rented equipment is lost or destroyed before it is returned, to promptly pay to the company the full value of such rented property, in cash and if damaged or injured in any way, to pay an amount equal to the reasonable cost of repairing the same, and further do hereby exonerate, indemnify and save harmless the company from all claims or liabilities to all parties for damage or loss to any person, persons or property in any way arising out of or during the use of said equipment. It is agreed that upon failure to pay rent or if default is made in any of the other terms hereof, the company may at once take possession of said rented equipment wherever the same may be found and remove the same, and the company or its agents shall in no way be liable for any claims for damages or injury in the removal of said equipment.

It is understood that the rental commences as of the date hereof and ends only when the rented equipment is returned or delivered at the office or shop of the said company.

Dated 2-15-64 Signed Dean Hoggatt

**KEEP A WINDOW OPEN IN THE ROOM WHILE MACHINE IS ON.**

**WATCH THE WATER GAUGE TO SEE THAT TANK DOES NOT RUN DRY.**

### **TO TAKE OFF PAPER**

While the water is heating remove wall plates from electric fixtures, pull any tacks or nails from walls and make other general preparations for removing the wallpaper.

When steam comes through the steam pan in good volume, drain the water from hose and pan.

Hold steam pan against wall for a few seconds, then slide it along the width of the pan. Sliding instead of lifting keeps it on the wall and makes it effective continuously. The number of layers of paper affects the speed at which the pan can be moved along so that a large scraping knife can be run underneath and a section the size of the pan can be lifted from the plaster.

Scraping off all particles of paper and paste as you go along is easier than going back over the wall and removing them when the paste has hardened.

The work will be speeded up somewhat if the paper from the side walls is removed first and then the ceiling. Start at either the top or bottom of the wall and work back and forth across its length. The rising steam will act on the ceiling paper and less time will be taken to remove it.

When paper is being removed from a room where the woodwork is not to be refinished, care should be taken if it is wax finish or the varnish is of poor quality to not let the steam strike directly against woodwork as it will turn it white.

If any white spots appear, wipe once across with a cloth soaked with alcohol which will restore the finish.

### **TO REMOVE KALSOMINE**

Move steam pan across surface at a fairly rapid rate followed by sponge if one or two coats, and with large size scraper if several coats.

### **TO REFILL WITH WATER**

When water gets down to within  $\frac{1}{4}$  inch of bottom of gauge glass, shut off machine and wait until steam stops coming through steam pan. Remove weight cap with care since some steam may escape when it is lifted.

USE CLEAN WATER FROM A CLEAN PAIL SINCE SOAP, PASTE, OR OTHER IMPURITIES WILL CAUSE THE WATER TO BOIL UP LIKE MILK AND COME OUT THROUGH THE HOSE. ALSO DO NOT USE WATER THAT HAS BEEN SOFTENED SINCE IT HAS A TENDENCY TO DO THE SAME THING.

DO NOT HOLD DOWN OR FASTEN DOWN THE CAP ON THE WATER TANK SINCE IT IS A SAFETY VALVE AND THE STEAMER IS NOT BUILT FOR PRESSURE.

L.O. Gallup Co.  
210 So. Detroit St.  
LaGrange, Ind.



Phone HOpkins 3-2961

CUSTOMER'S ORDER NO.	DATE	196				
NAME	2/17/64					
ADDRESS	Church of Christ					
	La Grange					
SOLD BY	CASH	C. O. D.	CHARGE	ON ACCT.	MDSE. RETD.	PAID OUT

QUANTITY	DESCRIPTION	PRICE	AMOUNT
1 gal.	Vinyl Cleaner		3 95
1 gal.	u Finish		4 95
			8 90
			<del>9 00</del>
			<del>9 04</del>

ALL claims and returned goods MUST be accompanied by this bill

No. **02461**

Rec'd by